




**PRODUCT
BREAKDOWN**
by market

PRODUCT BREAKDOWN BY MARKET

UPDATED SEPTEMBER 2017



INDUSTRIAL PRODUCTS

- Armored Cable** - MC, MC-HL Cable, Teck 90
- European Cable** - Lutze, Lapp, SAB, Mueller, Helukabel, Belden
- High Temp Wire** - SFF-2, SRML, SRG-ML, SRG-K, TGGT, MG, FEP, Mil-Spec
- Instrumentation Cable** - ITC, PLTC, Thermocouple Cable, Belden Industrial
- Industrial Cord** - Type W, G, G-GC, DLO, Jumper Cable, Festoon Cable, SDN, Bus Drop, Type P
- Medium Voltage (MV) Cable** - MV-105 2.4KV, 5KV, 15KV, 35KV, Primary UD
- MV Accessories** - TE Raychem: Splices, Terminations, Loadbreak/Deadbreak Elbows
- Tray Cable** - VNTC, XPTC, FREP/CPE, XLPE/LSZH, Belden Industrial
- VFD Cable** - Belden & Equivalent Brands



COMMERCIAL & RESIDENTIAL PRODUCTS

- Aluminum** - Overhead, URD, Aluminum Conductor MC, ACSR
- Audio/Video & Networking** - COAX, Speaker Cable, Category Cable, OSP Telephone Cable, Siamese
- Belden** - Classics, New Gen, Networking Cable, Fiber Optic
- Building Wire** - THHN, XHHW, XLP/USE-2, PV Wire + Value-Added Services: Striping, Dyeing, Twisting
- Fiber Optic Cable** - Single Mode, Multi-Mode, Plenum, Riser, Armored, Loose Tube, Tight Buffer
- Lighting Cable** - Lutron, 0-10V Dimming Control, Low Voltage Landscape Lighting
- Portable Cord** - SOOW, SJOOW, SEOOW/STOOW, SJEOOW, SJTOOW, Super-Vu-Tron, Welding Cable
- Security-Grade Cables** - Plenum, Riser, General Purpose, Fire Alarm, Composite Cable
- VITALink MC & CIC Cable** - 2-Hour Fire Rated Copper MC, 2-Hour Fire Rated Circuit Integrity Cable



UTILITY PRODUCTS

- Aluminum** - Overhead, URD, Aluminum Conductor MC, ACSR
- Bare Copper** - Bare, Tinned, Stranded, Solid
- Medium Voltage Cable** - MV-105 2.4KV, 5KV, 15KV, 35KV, Primary UD
- Medium Voltage Accessories** - TE Raychem: Splices, Terminations, Loadbreak/Deadbreak Elbows
- Tray Cable** - VNTC, XPTC, FREP/CPE, XLPE/LSZH, Belden Industrial



OEM PRODUCTS

- Hookup Wire** - MTW, SIS, SFF-2, SRML, High Temp Wire, Mil-Spec
- Portable Cord** - SOOW, SJOOW, SEOOW/STOOW, SJEOOW, SJTOOW, Super-Vu-Tron, Welding Cable
- Premium Brands** - Belden, Alpha Wire, General Cable, Southwire
- Tray Cable** - VNTC, XPTC, FREP/CPE, XLPE/LSZH, Belden Industrial

Selling Exclusively Through Electrical Distribution Since 1977 | phone: (800) 292-OMNI | website: omnicable.com

Atlanta • Boston • Charlotte • Chicago • Denver • Houston • Los Angeles • Philadelphia • San Francisco • Seattle • St. Louis • Tampa

LINE CARD

Products & Services



PRODUCTS

Aluminum Cable

Aluminum Conductor Steel Reinforced
Primary URD TR-XLP 15kV/25kV/35kV
XLP Triplex Service Drop Cable
XLP Triplex/Quadruplex Secondary URD

Armored Cable – 300V - 15kV

Aluminum Interlocked Armor
Continuous Corrugated Weld
Teck 90
Control, Power, and Instrumentation
Medium Voltage
Hazardous/Non-hazardous Location Fittings

Bare Copper

Stranded and Solid
Tinned Available

Belden – Full Line Distributor

Classics
Industrial
Variable Frequency Drive (VFD)
Fiber Optics
MarineTuff®
Industrial Ethernet
New Generation®

Building Wire

TFFN/TFN, THHN/THWN, THW
XLP/USE-2
XHHW-2/XHHW-2 CT
Solid or Stranded
Cathodic Protection
Photovoltaic
All Colors Available

Cable Accessories

Fittings – Tray, Portable Cord, Armor
Medium Voltage Splices & Terminations
LV Splices, Taps, Motor Connection Kits
Compression Connectors & Terminals
200 AMP/600 AMP Elbows & Accessories
Photocontrol & Lighting Accessories

Fiber Optic

Corning® Glass
Plenum and Riser
Tight Buffer and Loose Tube
Multimode and Single Mode
Indoor, Indoor/Outdoor, Outside Plant
Armored Versions Available

Flexible & Portable Cord

Rubber Cord:
SJOOW 300V, SOOW 600V
Plastic Cord:
SJEOW/SJTOOW 300V, SEOW/STOOW 600V,
STOW 600V, SJT 300V
Multi-conductor
Various Colors
Type G, GG-C, SHD-GC
Type W
Bus Drop
Diesel Locomotive (DLO)
Welding Cable – Various Colors
Festoon Cable
Submersible Pump Cable
Jumper Cable – 5kV to 15kV
SDN® – Reel & Pendant
Type P – Marine Cable

High-Temp Lead Wire

150°C through 450°C
SF-2, SFF-2 in Colors (UL 150°C-200°C)
TGGT (UL 250°C)
MG (UL 450°C)
SRML, SRG, SRK, SRGT (UL 150°C-200°C)
Teflon – E, EE, K, KK, PFA, Tefzel®
(UL 150°C-200°C)

Hook-Up Wire

PVC (UL 1007/1015/1061)
Irradiated PVC (UL 1429/1430/1431)
Neoprene Lead Wire (UL 3044/3046/3048)
Military Spec (M16878, M22759)
EPDM
SIS – VW-1 – All Colors

IMSA

19-1 and 20-1 Traffic Signal Cable
50-2 Lead-In
51-1, 51-3, 51-5 Loop Detector

Instrumentation – 300V & 600V

PVC, XLP, FREP, CPE, LSZH, and More
Individual and Overall Shields
Tinned and Bare Copper
Pairs and Triads

Medium Voltage – 2.4kV - 35kV

Copper and Aluminum Conductors
Single and Multi-conductor
Airport Lighting – FAA L824C
Splices, Terminations, Elbows

Sound, Security, and Alarm

Thermostat
Plenum, CL2P, CMP
Coax – RG59, RG6, RG6 Quad
Fire Alarm FPLR, FPLP Article 725/760/800
Lighting Cable – Crestron & Lutron Systems

Telephone & Data

Indoor/Outdoor
High Speed Data – Category Cables
Direct Burial
Aerial
Figure 8
TelcoFlex®

Tray Cable – 600V

PVC, XLP, FREP, CPE, LSZH, and More
Shielded and Non-shielded
Control and Power Sizes
Standard & Special Color Codes Available
Fittings Available

Variable Frequency Drive (VFD)

3 and 4 Conductor
16 AWG to 500 MCM
Foil Braid, Copper Tape Shields
600V - 2000V
Armored Versions Available

2-Hour Fire Rated Cables

VITALink® MC
Circuit Integrity Cable (CIC)

SERVICES

Bundling
Cable Management Project

Custom Constructions
Dyeing
Emergency Services (24/7/365)

Paralleling
Lashing
Stripping
Twisting